

Dako CoverStainer.

The efficient, safe and accurate choice for H&E.





Fully automate your laboratory's H&E with Dako CoverStainer.

The Dako H&E solution can help your lab overcome the challenges of today, and tomorrow. The state-of-theart Dako CoverStainer fully automates every step of the H&E process from baking to drying, reducing manual processes and streamlining workflow. The instrument is combined with Dako Ready-to-Use (RTU) Reagents, Dako validated pre-optimized protocols, and the Dako Reagent Management System (DakoRMS) to provide you with a comprehensive solution that is efficient, safe and provides accurate staining results.

Efficient

Fully automate every step in your H&E testing, with Dako CoverStainer's continuous loading/unloading. The Dako CoverStainer solution is designed with LEAN processes in mind. It is easy to operate, with minimal user intervention required, freeing up staff to complete other tasks.

Safe

Dako CoverStainer enables you to improve both operator and environmental safety by reducing exposure to hazardous reagents, and provide your staff with a working environment that is free from unhealthy fumes and noise.

Accurate

The Dako CoverStainer solution enables your lab staff to stain with your preferred intensity and consistently high quality to provide the right answer to the right patient every single time.

Operate Dako CoverStainer in just three easy steps

1. Load your slides and select protocol



3. Unload finished slides and conduct microscopic evaluation


H&E slides per hour

minutes to first coverslipped slides

H&E staining flexibility customized to y the Dako CoverStainer consistency you

Choose the intensity you want

The Dako CoverStainer solution offers both regressive and progressive staining options, with three sets of reagents optimized for use with Dako CoverStainer that give you the ability to choose the intensity that you prefer.



our preferences, with a can count on.

A comprehensive, three-tiered approach for consistent and dependable results

Dako CoverStainer provides an unmatched consistency in staining results. The system ensures 3,000 slides or five days' usage with the same Dako reagents. The high quality you can rely on is the same from slide one to slide $3,000^2$.

Dako Reagent Management System (DakoRMS)

The Dako Reagent Management System (DakoRMS) constantly circulates reagents, optimizing reagent consumption and preventing precipitation leading to more accurate and consistent test results.

Dako Ready-to-Use Reagents

Combined with Dako CoverStainer and the Dako H&E validated protocols, Dako Ready-to-Use Reagents help reduce manual processes and streamline workflow. Easy-to-use, pre-filled reagent bottles minimize spills for greater safety. Storage in closed containers eliminates evaporation so reagents last longer.

Unique rack design

Specially designed slide racks for Dako CoverStainer ensure that only the slides are lowered into the reagent, eliminating the risk of cross contamination¹ and minimizing reagent carryover for great consistency of staining and reagent longevity. It also makes makes slide sorting easier for lab staff.

Experience outstanding flexibility

Choose our optimized, pre-validated staining protocols or customize them to meet your needs.

Run multiple protocols simultaneously to optimize your routine staining.



The unique Dako CoverStainer slide rack enables consistent staining results.



Optimize your workflow with Dako CoverStainer and provide completed slides to the pathologist sooner and continuously throughout the day.

Efficient

Providing you with Best-in-Class Productivity

- True walk-away solution designed for LEAN processes
- Continuous loading and unloading evens out your workload
- Unique rack design facilitating efficient workflow
- Oven capacity of 120 slides contributing to fast TAT
- First batch of coverslipped slides in as little as 46 minutes*
- Scanning and identification of LIS-produced unique identifier without relabeling or use of double labels
- Integration with DakoLink and TPID enables easy report generation and tracking options

Safe

For Staff, Environment and Patients

- Pre-filled RTU staining reagent bottles minimize spills and reduce handling
- Automated tank filling and waste disposal into closed containers enable safe removal
- Ventilation removes fumes
- Quiet operation just 38 decibels
- Optimized waste separation and minimal waste volume
- No cross contamination¹ and minimal reagent carryover ensuring safety for patients

Accurate


Proven Consistent Staining Quality

- Up to 3,000 slides or five days' usage with the same Dako reagents
- Three sets of validated reagents allowing you to choose the intensity you prefer
- Validated standard protocols that can be customized as you choose
- Reduced evaporation for increased reagent longevity
- Constant reagent circulation prevents precipitation (Dako RMS)

^{*} When using the validated, Dako H&E staining protocol.

Keep your lab a step ahead.

We provide integrated solutions that are designed to meet your needs and help your lab deliver the correct results for patients, every time. The entire range of complementary Dako products exemplifies our focus on providing trusted answers, together with our customers.



Dako CoverStainer is the efficient, safe and accurate choice for H&E.

Component	Description
Dimensions	150 cm W x 67.2 cm D x 128.0 cm H (59.1" W x 26.5" D x 50.4" H)
Weight	175 kg (385 lbs)
Total slide capacity	Up to 240 slides per hour
Total reagent capacity	18 dip tanks divided into two components which gives 36 reagent stations
Reagent waste capacity	Two separate waste containers (10 L) each

Local teams of Application Support, Technical Support and Certified Field Service are always within easy reach if you need our support.

References

- 1. White Paper reference: No risk of Tissue Cross Contamination when using Dako CoverStainer, Dako White paper, item No. 38686, 01MAR12.
- 2. Evaluation of the new H&E solution Vivantes. Dako CoverStainer White paper, item no. 38663, 01MAR11.



Agilent Pathology Solutions

www.agilent.com
Represented in more than 100 countries

Australia +61 1800 802 402
Austria +43 1 408 43 34 0
Belgium +32 16/93 00 30
D:I

+55 11 50708300

+358 9 348 73 950

Japan +81 3 5232 9970
Korea +82 80 004 5090
The Netherlands +31 20 42 11 100
Norway +47 23 14 05 40

Poland +48 58 661 1879
Spain +34 93 344 57 77
Sweden +46 8 556 20 600
Cwitzorland